AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q95279

Application No.: 10/581,911

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the

application:

LISTING OF CLAIMS:

1. (currently amendedl): A method for engineering cartilage tissue by three-

dimensionally culturing bone marrow mesenchymal cells in a simulated microgravity

environment.

2. (original): The method according to claim 1, wherein the simulated microgravity

environment provides gravity that is 1/10 to 1/100 of the ground gravity to an object on a time-

average basis.

3. (previously presented): The method according to claim 1, wherein the simulated

microgravity environment is attained with the use of a bioreactor that realizes a simulated

microgravity environment on the earth by compensating the ground gravity with the stress

resulting from rotation.

4. (original): The method according to claim 3, wherein the bioreactor that realizes

a simulated microgravity environment on the ground is a uniaxial rotary bioreactor.

5. (original): The method according to claim 4, wherein the bioreactor that realizes

a simulated microgravity environment on the ground is a Rotating Wall Vessel (RWV)

bioreactor.

2

AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q95279

Application No.: 10/581,911

6. (currently amended): The method according to claim 5, wherein culture is

conducted by seeding bone marrow cells at a density of 10⁶ to 10⁷ cells/cm³ at a rotation speed of

8.5 to 25 rpm when a 5-cm RWV 5 cm in diameter RWV vessel is used.

7. (previously presented): The method according to claim 1, wherein culture is

conducted by adding TGF- β and/or dexamethasone to a culture medium.

8. (previously presented): The method according to claim 1, wherein bone marrow

cells are two-dimensionally cultured to confluence, subcultured, and then cultured in a simulated

microgravity environment.

9. (previously presented): The method according to claim 1, wherein the bone

marrow cells are isolated from a subject in need of transplantation of the engineered cartilage

tissue.

3